



How to GIVI Windshield Installation - Small

A guide outlining the basic steps for installing a small GIVI brand windshield on Ural Motorcycles.

Written By: David





PARTS:


- [Drivers Windshield Givi Small \(1\)](#)
55603

Step 1 — How to GIVI Windshield Installation - Small



- i The GIVI windshield is a universal mount design. There are many options for placement and orientation of mounting hardware. The corresponding pictures depict what has proven to be effective on Ural Motorcycles only.
- Lay out and familiarize yourself with the orientation of all components. Be sure all parts are accounted for per the manufacturer's parts list before beginning installation.

Step 2



- Mount the windshield hardware and orientate as shown.
- i All kit components are symmetrical and can be mounted on the left or right side.

Step 3



- Mount the arms to the windshield hardware previously installed using the supplied hardware.

Step 4



- Fix the clamps onto the handlebars using the supplied spacers. When properly placed they will fit under the wiring of the handlebar without interference.

Step 5



- Insert the assembled windshield bars into the clamps, tightening the hardware until snug yet loose enough to adjust the position of the windshield.

Step 6



- Take a look from the rider's perspective as well as the side and front of the motorcycle. Adjust the windshield as an assembly to be centered on the headlight and to suite your desired angle.

Step 7



- When you are visually satisfied with the placement of your windshield secure all the hardware to fix the windshield in place.
- Test ride and readjust as needed to achieve your desired level of wind protection.
- After confirming the windshield is in the most desirable location, recheck all hardware for tightness.
- Lastly install protective hardware and rod end caps. You are now finished, enjoy your new GIVI windshield!